



DATA SHEET
NYACOL® SN902

Colloidal Performance Materials

NYACOL® SN902

Tin Oxide in Ethylene Glycol

PRODUCT INFORMATION

NYACOL SN902 is a unique dispersion of tin oxide. The product is a 50–90 nm dispersion of tin oxide in ethylene glycol. The product provides UV and IR absorbance with a high degree of transmission in the visible range.

The product is intended for use in PET polymerization and coatings. NYACOL SN902 is added in the synthesis of the polymer and provides excellent reheat characteristics in PET bottle resin and excellent IR absorption in films and fibers. The product can also be used as an anti-static additive in PET and coatings. Consult Nyacol Technical Service for starting use levels and addition guidelines for your application.

TYPICAL PROPERTIES

Tin Oxide, %	20
Carrier	Ethylene Glycol
H ₂ O, % by K-F	<2.5
Particle Size, nm, by Malvern HPPS	50–90
Appearance	Deep Blue/Black

TO ORDER MATERIAL OR FOR INFORMATION

Nyacol Nano Technologies, Inc.
Megunko Road
P.O. Box 349
Ashland, MA 01721-0349 U.S.A.

Telephone: 508-881-2220 Local Area
800-438-7657 Toll Free
Fax: 508-881-1855
Internet: www.nyacol.com

Information herein is accurate to the best of our knowledge. Suggestions are made without warranty or guarantee of results. Before using, user should determine the suitability of the product for the intended use and user assumes the risk and liability in connection therewith. We do not suggest violation of any existing patents or give permission to practice any patented invention without a license. 101124