



Data Sheet
NYACOL TiSol A

NYACOL® TiSol A
Colloidal Titanium Dioxide

NYACOL® TiSol A

SUMMARY

NYACOL TiSol A is an aqueous dispersion of titanium dioxide that is designed for use in coatings and catalyst applications. TiSol A provides a high index of refraction for coatings and excellent transparency as a result of the small particle size. TiSol A can also be used as a transparent UV absorber.

TYPICAL PROPERTIES

	TiSol A
Titanium Dioxide (wt%)	20
Particle Diameter* (nm)	10-15
Specific surface area (m ² /g)	110-150
pH	0.6-1.5
Specific Gravity	1.2
Viscosity (cP)	4-10
Crystal structure	>80% anatase
Crystalline domain size (nm)	4

* Volume average by Photon Correlation Spectroscopy.

METALS LEVELS

	TiSol A
As, Bi, Fe, Hf, Nb, P, Sb, Se, Si, Sn, Ta, W	<20 ppm
Ga, In, Pb	<10 ppm
Al, Ba, Be, B, Ca, Cd, Cr, Co, Cu, K, La, Li, Mg, Mn, Mo, Na, Ni, Sr, Ti, V, Y, Zn	<5 ppm

HANDLING

NYACOL TiSol A should not be subjected to temperatures of 32°F or below to avoid freezing.

SAFETY

NYACOL TiSol A is acidic and may cause eye and skin irritation. Users should observe precautions printed on the package label. A Material Safety Data Sheet for this product will be supplied on request.

FOR ADDITIONAL INFORMATION OR TO ORDER MATERIAL

Nyacol Nano Technologies, Inc.
Megunko Road
P.O. Box 349
Ashland, MA 01721-0349 U.S.A.

Telephone: 508-881-2220
Toll-Free: 800-438-7657
Fax: 508-881-1855
Internet: www.nyacol.com

Information herein is accurate to the best of our knowledge. Suggestions are made without warranty or guarantee of results. Before using, user should determine the suitability of the product for the intended use and user assumes the risk and liability in connection therewith. We do not suggest violation of any existing patents or give permission to practice any patented invention without a license.