

REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

Section 1: Product and Company Identification:

1.1 Product Identifier

Product Form: Powder

Identification of Substance: Silicon dioxide

Product Name: NYACOL® S125M

Synonym: Silica

CAS Number: 7631–86–9
Index Number: Not available.
EINECS Number: 231–545–4

REACH Registration Number: 01–2119379499–16–0220

Formula: SiO<sub>2</sub>

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Additive for coatings and polymers.

Restrictions on Use: For industrial use only, not for food, drug or home use.

1.3 Details of the supplier of the safety data sheet

Company Identification: Nyacol Nano Technologies, Incorporated

Megunko Road, P.O. Box 349, Ashland, MA 01721 U.S.A.

508-881-2220

Email Contact: <a href="mailto:info@nyacol.com">info@nyacol.com</a>
Internet: <a href="mailto:www.nyacol.com">www.nyacol.com</a>

1.4 Emergency telephone number

USA/Canada CHEMTREC: +1 (703) 527-3887

In Case of Emergency: International CHEMTREC: +1 (703) 741-5970

24 Hours/Day: 7 Days/Week

### Section 2: Hazard(s) Identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Not classified.

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Not classified.

2.2 Label Elements

Not labelled.

Signal Word: Not applicable.

Hazard Pictogram: Not applicable.

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

2.3 Other Hazards

Components do not meet the criteria for a PBT or vPvB substance.

2.4 Unknown acute toxicity (GHS US)

No information available.

### Section 3: Composition / Information on Ingredients

Description: Mixture consisting of the following components.						
Component Name:	Product Identifier	GHS Classification	Percent By Weight			



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

Silicon Dioxide:

CAS: 7631-86-9
EINECS: 231-545-4
Index: Not available

3-Trimethoxysilylpropyl Methacrylate:

REACH: Not registered by NNT.

CAS: 7631-86-9
EINECS: 231-545-4
Index: Not available

Not classified

10 - 20
EINECS: 219-785-8
Index: Not available

Impurities: Present at a level below that to be taken into account for classification.

Stabilizing Additives: Present at a level below that to be taken into account for classification.

The supplier currently has no knowledge on additional ingredients that are classified and that contribute to the classification of this substance.

See Section 16 for a list of hazards if identified above.

## Section 4: First-Aid Measures

#### 4.1 Description of first aid measures

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids

apart while flushing to rinse entire surface of the eye and lids with water. Get

medical attention.

Skin Contact: In case of contact, immediately flush skin with plenty of water for several minutes. If

sticky, use soap and water. Remove contaminated clothing. Get medical attention if

skin irritation develops or persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, clear person's airway and give

artificial respiration. If breathing is difficult, qualified medical personnel may

administer oxygen. Get medical attention.

Ingestion: If a person is conscious and can swallow, immediately give two glasses of water (16

oz. or 500 ml.) but do not induce vomiting. If vomiting occurs, give fluids again. Do not give anything by mouth to an unconscious or convulsing person. Get medical

attention.

First Aid Facilities: Eye wash station. Safety shower.

Advice to Physicians: No further relevant information available.

4.2 Most important symptoms and effects, both acute and delayed

Acute or delayed effects are not anticipated.

4.3 Indication of any immediate medical attention and special treatment needed.

No further relevant information available.

## Section 5: Fire-Fighting Measures

### 5.1 Extinguishing Media

Suitable Extinguishing Media: All are suitable. Use water spray, dry chemical, foam or carbon dioxide

to extinguish flames. Use water spray to cool fire-exposed containers.

Water or foam may cause frothing.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Flammability of the product: Combustible, material will burn in a fire. Containers can

build pressure if exposed to heat or fire.

Special Hazard Arising from the Chemical: None known.

Fire Hazard: None known.

Page 2 of 8 EN (English)



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

Explosion Hazard None known.
Reactivity: None known.

5.3 Advice for firefighters

Special Protective Equipment for Fire-fighters: Wear standard full firefighter turn-out gear (full bunker

gear) and respiratory protection (SCBA).

#### Section 6: Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Eye protection and impervious gloves. An approved air-purifying respirator should be worn if dust or mist is present.

#### 6.1.1 For non-emergency personnel

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions

Prevent entry into sewers and waterways.

#### 6.3 Methods and material for containment and cleaning up

Ventilate area. Avoid breathing dust or vapor. Avoid creation of dust. Wear appropriate personal protective equipment, including appropriate respiratory protection. Contain spill if possible. Wipe up or absorb on suitable material and shovel up. Prevent entry into sewers and waterways. Avoid contact with skin, eyes or clothing.

#### 6.4 Reference to other sections

For more information on exposure controls and personal protection or disposal considerations, check section 8 and 13 of this SDS.

#### Section 7: Handling and Storage

## 7.1 Precautions for safe handling

Minimum feasible handling, and temperatures should be maintained. Avoid generating dust or mist during use. Use only in well ventilated area. Do not breathe dust or vapors.

## 7.1.1 Protective measures

Use only in well ventilated areas. As a precautionary measure, the wearing of standard work gear is suggested. Protect against electrostatic charges.

### 7.1.2 Advice on general occupational hygiene

Avoid inhalation, ingestion and contact with eyes or skin. General occupational hygiene measures are required to ensure a safe handling of the substance. These measures involve good personal and housekeeping practices (i.e. regular cleaning with suitable cleaning devices), no eating, drinking and smoking at the workplace and wearing standard working clothes and shoes unless otherwise stated. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas. Shower and change clothes at end of work shift. Do not wear contaminated clothing at home.

# 7.2 Conditions for safe storage, including any incompatibilities

Periods of exposure to high temperatures should be minimized. Provide sufficient ventilation in storage and workrooms. Store in a cool dry area. Keep containers sealed.

## 7.3 Specific end use(s)

No additional information available. Refer to Section 1.2 of this SDS.

## Section 8: Exposure Controls / Personal Protection

#### 8.1 Control Parameters

#### 8.1.1 National Limit Values

Silicon Dioxide, CAS 7631-86-9



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

Country	Occupational exposure limit	Reference period	Reference
USA	80 mg/m³/%SiO2	8 hours	OSHA PEL – http://www.cdc.gov/niosh/idlh/7631869.html
UK	6 mg/m³ (inhalable)	8 hours	Health and Safety Executive- http://www.hse.gov.uk/pubns/priced/eh40.pdf
Germany	4 mg/m³ (inhalable)	8 hours	Senate Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (MAK Commission): http://www.dfg.de/en/dfg_profile/statutory_bodies/senate/health_hazards/ind ex.html
Belgium	10 mg/m <sup>3</sup>	8 hours	Service public fédéral Emploi, Travail et Concentration sociale: http://www.emploi.belgique.be/WorkArea/showcontent.aspx?id=23914
Austria	2 mg/m³ (inhalable)	8 hours	http://www.arbeitsinspektion.gv.at/NR/rdonlyres/F173280B-D4FB-44D2-8269-8DB2CB1D2078/0/GKV2011.pdf

#### 8.1.2 DNELs and PNECs

Silicon Dioxide, CAS 7631-86-9

DNEL (Derived No Effect Level)					
Route of Exposure/Environmental protection target	DNEL				
Inhalation – Long term/systemic effects	4 mg/m <sup>3</sup>				
PNEC (Predicted No Effect Concentration)	•				

No information available

#### 8.2 Exposure Controls

Engineering Controls: Ventilation adequate to meet occupational exposure limits.

Hygiene Measures: Workers should wash exposed skin several times daily with soap and

water. Soiled work clothing should be changed and laundered or dry-

cleaned.

Respiratory: NIOSH or MSHA approved air purifying or air supplied respirator

protection equipment should be used. Airborne concentrations should be kept to lowest levels possible. If vapor, mist or dust is generated and the occupational exposure limit of the product, or any component of the product, is exceeded, use appropriate Air-supplied respirators.

Hands: Wear impervious gloves such as neoprene.

Eyes: Safety glasses, chemical type goggles, or face shield recommended to

prevent eye contact.

Skin: Wear clean body-covering clothing; impervious gloves such as

neoprene. Workers should wash exposed skin several times daily with soap and water. Soiled work clothing should be laundered or dry-

cleaned.

Environmental Exposure Controls: Adverse effects of this material on the environment have not been

evaluated. Proper disposal techniques to isolate and recover material

should be implemented.

### Section 9: Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Appearance (Physical State, Color): Solid. White powder.



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

Upper/lower flammability or explosive limits: Not determined. Volatile by Weight: Negligible.

Odoriess

Odor: Odorless. Vapor Pressure: Not applicable. Odor Threshold: Not applicable. Vapor Density: Not applicable. Not applicable. :Ha Relative Density: Not determined. Melting point/freezing point: Not determined. Solubility in Water: Nealiaible.

Initial boiling point and boiling range:

Flashpoint:

Evaporation Rate:

Not applicable.

Not applicable.

Flammability (solid, gas): Lower/Upper: No data available.

Partition Coefficient: Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Viscosity: Not applicable. Specific Gravity: Not determined. Freezing Point: Not applicable. **Explosion Limits:** Not determined. **Oxidizing Properties:** Not applicable.

9.2 Other information

Not applicable.

## Section 10: Stability and Reactivity

## 10.1 Reactivity

Not determined.

#### 10.2 Chemical Stability

Stable under normal ambient and anticipated storage and handling conditions.

10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4 Conditions to avoid

No further relevant information available.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Carbon monoxide, carbon dioxide.

## Section 11: Toxicological Information

## 11.1 Information on toxicological effects

Acute toxicity:

LD50, Rat, Oral Values for classification:

Silicon Dioxide, 7631–86–9 >5000 mg/kg 3-Trimethoxysilypropyl Methacrylate: >5000 mg/kg

Skin corrosion/irritation: Avoid contact with skin, may cause skin irritation or

dryness.

Eye damage / eye irritation Avoid contact with eyes, may cause eye irritation.

Page 5 of 8 EN (English)



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

Inhalation:

Use breathing protection when aerosol or mist is formed. Breathing dried dust or spray mist causes irritation. OSHA exposure limit: Amorphous Silica = 20 mppcf (5 mg/ $\mathrm{M}^3$ ) SiO<sub>2</sub> respirable dust or mist. 8-hour time weighted average. Exposure analysis method: NIOSH Manual of Analytical Methods, 3rd edition, Method 7501.

Sensitization: No sensitizing effect known.

Chronic Effects: No further relevant information available.

Carcinogenicity No data indicating any concern for carcinogenicity.

## Section 12: Ecological Information

#### 12.1 Aquatic Toxicity, Silicon Dioxide CAS #7631-86-9

Not harmful to aquatic organisms.

#### 12.2 Persistence and degradability

No further relevant information available.

### 12.3 Bioaccumulative potential

No further relevant information available.

#### 12.4 Mobility in soil

No further relevant information available.

#### 12.5 Results of PBT and vPvB Assessment

The PBT and vPvB criteria of Annex XIII to the Regulation do not apply to this product.

#### 12.6 Other adverse effects

No further relevant information available.

#### Section 13: Disposal Considerations

This information presented only applies to the materials as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Disposal Considerations:** 

It is the responsibility of the generator to determine at the time of disposal whether the product meets the criteria of a hazardous waste. Comply with all applicable federal, state and local regulations. Use registered transporters.

United States: The product is not a RCRA hazardous waste.

### Section 14: Transport Information

The product is not restricted for transportation.

Sections 14.1 - 14.4

Regulations

U.S. D.O.T.: Not regulated. ICAO/IATA: Not regulated. IMO/IMDG: Not regulated.



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

ADR: Not regulated.

14.5 Environmental Hazards

Not an environmental hazard for transport.

14.6 Special precautions for user

None.

14.7 Transport bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

## Section 15: Regulatory Information

## 15. 1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Worldwide Chemical Inventories

EINECS (EU): All ingredients listed TSCA (USA): All ingredients listed DSL (Canada): All ingredients listed AICS (Australia): All ingredients listed ENCS (Japan): All ingredients listed ECL (Korea): All ingredients listed PICCS (Philippines): All ingredients listed IECSC (China): All ingredients listed Technical Instructions (air): Not determined.

Water hazard class:

Based on available data, Silicon Dioxide is not classified as dangerous

for the environment according regulation (EC) 1272/2008.

3-Trimethoxysilylpropyl Methacrylate: 1

State Right-to-Know Laws: Section 3 of this SDS lists all components of the product.

California Proposition 65: No ingredients listed.

SARA Section 311/312 (29 CFR

1910.1200) Hazards:

Not classified according to GHS.

SARA 313, 304 and CERCLA 102 (A): No ingredients listed.

FDA: 21 CFR 175.105 – Silicon Dioxide may be used as a component of

adhesives used to prepare articles intended for the use in packaging,

transporting or holding food.

21 CFR 177.1200 - Silicon Dioxide may be used as a component of a polymer used as a base sheet or as a coating applied to a base sheet for

use in food packaging.

21 CFR 182.90 - Silicon Dioxide is generally recognized as safe (GRAS)

as a substance migrating to food from paper and paper board products

used in food packaging.

WHMIS: 3-Trimethoxysilylpropyl Methacrylate: B3, D2B Toxic Material Causing

Other Toxic Effects.

Controlled Products Regulations: This SDS contains all the information items specified in Schedule 1,

Column 3 of the Controlled Products Regulations in a 16-heading

format.

#### 15. 2 Chemical safety assessment

A chemical safety assessment has not been carried out for silicon dioxide.



REVISION: June 3, 2020 SUPERSEDES: May 17, 2018 VERSION NO.: 3

## Section 16: Other Information

List of hazard phrases: None, product is not classified.

National Fire Protection Association (U.S.A.) 704 Hazard

HMIS® Hazard Rating:

Health-1, Flammability-1, Reactivity-0, Special-None Health-1, Flammability-1, Reactivity-0, Protective Equipment - Refer to section of this SDS for guidelines on

respirator protection.

Recommended Use: The product is an additive for coatings and polymers.

Other uses have not been investigated and may have other hazards. For industrial use only, not for food, drug

or home use.

Work Alert: Workers using the product should read and understand

this SDS and be trained in the proper use of this material.

Other Special Considerations:

SDS Prepared By:

Andrew A. Guzelian

Nyacol Nano Technologies, Incorporated Telephone: 508-881-2220 U.S.A.

Revision Date: June 3, 2020 Supersedes: May 17, 2018

This SDS has been prepared with data from Nyacol Nano Technologies, Inc.'s laboratories, raw material suppliers, and government publications. Information herein is accurate to the best of our knowledge. Suggestions are made without warranty or guarantee of results. Before using, the user should determine the suitability of the products for the intended use, and the user assumes the risk and liability in connection therewith. We do not suggest violation of any existing patents or give permission to practice any patented invention without license.

NYACOL® is a registered trademark of Nyacol Nano Technologies, Inc.